

INVESTIGATION DATE 5-6, 5-25, Current 6-6-82 Last 7-28-81		FROM: (Use Stamp) IOWA DEPT. OF ENVIRONMENTAL QUALITY REGION NO. 4 316 WALNUT ATLANTIC, IOWA 50022 PHONE 712/243-1934
TO: (Facility Name, Location & Address) Douglas & Lomason Company P. O. Box 119 Red Oak, Iowa 51566		
RE: (Specify Investigation Purpose Or Cite Rule) Work Request		Persons Contacted (Name & Position) S. David Cramer, Mgr., Environmental Protection Jim Grizzard, Jr. - Quality Control Supervisor

OBSERVATIONS/RECOMMENDATIONS

This facility was inspected on May 6, 1982 and later contacted by telephone on May 25, 1982 and June 6, 1982 concerning interim status amendments verified by E.P.A. Douglas & Lomason has consolidated E.P.A. hazardous waste numbers F007, F008, F009 and F017 with F006 because they do not use cyanides in the electroplating operation. An EP toxicity test on the waste stream will be submitted to this Department in the near future, according to Mr. Cramer, Douglas & Lomason Company.

This facility generates one-half 55-gallon drum of paint sludge and two 55-gallon drums of wastewater treatment plating sludge per month. According to officials at Douglas & Lomason Company, the hazardous waste generated is less than 2,200 lbs. EP toxicity test results for the paint sludge and plating sludge, plus an application for a Special Waste Authorization (SWA) will be sent to Gene Evans, E.S., in the near future. Depending upon whether the Air/Land Quality Division approves the SWA determines if Douglas & Lomason Company will be able to terminate interim status.

A 1200-gallon tank storage was added in the recent E.P.A. amendment, however, this is incorrect. This tank is used in treatment, not storage. Douglas & Lomason Company should submit to DEQ an amendment to correct their Part A.

The cooperation of the officials at Douglas & Lomason Company is appreciated.

AG:mi



R00347737

RCRA RECORDS CENTER

RECEIVED
JUN 11 10 07 AM '82
DEPARTMENT
ENVIRONMENTAL QUALITY

SUSPENSE DATE 1/1	Signature Inspector <i>Allan Goldberg</i> Allan Goldberg, Environmental Specialist	Date 6-6-82
	Regional Administrator <i>[Signature]</i>	6-10-82
Enclosures (Specify) <input checked="" type="checkbox"/>		
Distribution: Regional Office: <input checked="" type="checkbox"/> Central Office: <input checked="" type="checkbox"/> Inspected Facility: <input checked="" type="checkbox"/>		